

EVOLUTION AND ADVANCEMENTS IN THE DEVELOPMENT OF PHARMACEUTICAL CARE SERVICES

**Al Mogrin, Maha Mohammed¹, Al Khleb, Aseel Abdulziz², Al Shehri, Bshayer Mohammed³
Al Shreeaf, Khalid Abdulrahman⁴, Al Busaysi, Khaled Farhan⁵, Al Rashidi, Ahmed Mueallath⁶
Al Harbi, Abdulmohsen Hamdan⁷**

¹Ministry of National Guard Health Affairs, mogrinm@nnga.med.sa

²Ministry of National Guard Health Affairs, khleba@nnga.med.sa

³Ministry of National Guard Health Affairs, alshehribs@nnga.med.sa

⁴Ministry of National Guard Health Affairs, alshreefkh@mnga.med.sa

⁵Ministry of National Guard Health Affairs, albsisikh@nnga.med.as

⁶Ministry of National Guard Health Affairs, alrashidiAh@mnga.med.sa

⁷Ministry of National Guard Health Affairs, alharbiab42@nnga.med.sa

***Corresponding Author:**
mogrinm@nnga.med.sa

Abstract:

The evolution of pharmaceutical care services has undergone a significant transformation, shifting from a product-focused approach to a patient-centered model. This article explores the historical development, patient-centered approach, Medication Therapy Management (MTM) programs, collaborative care, technological integration, challenges, and future directions in pharmaceutical care services. Pharmacists now play a pivotal role in optimizing medication therapy, conducting comprehensive assessments, and working collaboratively with healthcare providers. Advancements in technology, such as electronic health records and automated systems, have further enhanced the quality of care provided. Despite challenges related to reimbursement and scope of practice, the trajectory of pharmaceutical care services is moving toward greater recognition and integration within healthcare systems.

Keywords: *pharmaceutical care, patient-centered, Medication Therapy Management, collaborative care, technology integration, pharmacists.*

1. INTRODUCTION:

Pharmaceutical care services have experienced a paradigm shift in recent decades, evolving from a traditional focus on medication dispensing to a patient-centered approach that prioritizes comprehensive medication management and patient outcomes. This transition has been prompted by the growing complexity of healthcare systems, advances in medical knowledge, and an increasing recognition of the critical role pharmacists play in optimizing medication therapy.

Historically, pharmacies were primarily regarded as outlets for medication distribution, with limited involvement in patient care beyond prescription filling¹. However, as healthcare needs have become more intricate and diverse, the concept of pharmaceutical care has emerged as a cornerstone of modern pharmacy practice². This concept emphasizes the pharmacist's expanded responsibilities in ensuring the safe and effective use of medications, engaging in collaborative care efforts, and addressing patients' unique medication-related concerns.

The aim of this article is to comprehensively examine the evolution and advancements in the development of pharmaceutical care services. The article explores the transition from a product-oriented approach to a patient-centered model, the implementation of Medication Therapy Management (MTM) programs, collaborative care efforts, technological integration, challenges faced by the field, and potential future directions. By delving into these aspects, the article aims to provide insights into the transformative role of pharmaceutical care services in optimizing medication therapy, enhancing patient outcomes, and contributing to the evolving landscape of healthcare.

This article delves into the historical evolution of pharmaceutical care services, tracing the trajectory from their origins to their current patient-centered orientation. It explores the pivotal role of pharmacists in medication therapy management, the integration of innovative technologies into pharmaceutical practice, the establishment of collaborative care models, and the challenges and opportunities that shape the landscape of pharmaceutical care.

As healthcare systems continue to evolve, it is evident that pharmaceutical care services have become integral to achieving optimal patient outcomes³. The subsequent sections of this article will delve into the multifaceted dimensions of this evolution, highlighting the advancements, challenges, and transformative potential of pharmaceutical care services in contemporary healthcare practice.

2. HISTORICAL PERSPECTIVE:

The historical evolution of pharmaceutical care services showcases a remarkable transformation from a transactional, product-oriented approach to a patient-centric model focused on improving medication outcomes and overall patient well-being⁴.

Traditionally, pharmacies were primarily concerned with dispensing medications prescribed by healthcare providers. The pharmacist's role was centered around accurately preparing and providing medications to patients, often with limited interaction beyond the transactional process⁴. This approach, while essential, did not fully harness the expertise of pharmacists in ensuring the safe and effective use of medications.

In the late 20th century, a paradigm shift began to take shape. Pharmacists recognized that their expertise extended beyond simply delivering medications, and they sought to enhance their involvement in patient care⁵. This marked the emergence of the concept of pharmaceutical care, which emphasized a more holistic approach to medication management.

Pharmaceutical care introduced the idea that pharmacists should actively engage with patients to assess their medication needs, address potential drug interactions or adverse effects, and collaborate with healthcare providers to optimize treatment plans³. This approach aimed to ensure that patients derived maximum benefit from their medications while minimizing risks.

As healthcare systems grappled with increasing complexity, pharmaceutical care services gained traction. Pharmacists began conducting medication reviews, evaluating patients' medical histories, identifying potential issues, and offering tailored recommendations to improve therapeutic outcomes⁶. The shift toward patient-centered care aligned with broader trends in healthcare, emphasizing personalized treatments and comprehensive disease management⁷.

This historical perspective underscores the progressive transition from pharmacists as mere suppliers of medications to integral members of interdisciplinary healthcare teams. The subsequent sections of this article will delve deeper into how this transition has shaped contemporary pharmaceutical care services, highlighting their patient-centered focus, collaborative nature, technological integration, and the challenges that persist in fully realizing their potential.

3. PATIENT-CENTERED APPROACH:

The evolution of pharmaceutical care services has seen a significant shift towards a patient-centered approach, marking a departure from the traditional focus solely on medication dispensing⁸. This approach recognizes that patients are not passive recipients of medications but active participants in their own healthcare journeys, with unique needs, preferences, and goals.

In a patient-centered pharmaceutical care model, pharmacists engage in in-depth conversations with patients to understand their medical histories, current health conditions, lifestyle factors, and treatment objectives⁹. This comprehensive assessment forms the foundation for creating personalized medication plans that align with the patient's overall health goals.

One of the key aspects of this patient-centered approach is medication therapy management (MTM). Pharmacists collaborate closely with patients to review their medication regimens, identify potential drug interactions or duplications, and address any concerns or questions the patient may have¹⁰. Through this process, pharmacists empower patients with knowledge about their medications, ensuring they are well-informed and actively involved in their own care.

Moreover, the patient-centered model emphasizes open communication and shared decision-making. Pharmacists work with patients to explore different treatment options, taking into account the patient's preferences, lifestyle, and potential side effects¹⁰. This collaborative approach fosters a sense of partnership between the patient, the pharmacist, and other healthcare providers, leading to more effective and individualized treatment plans.

By prioritizing patients' unique needs and perspectives, the patient-centered approach to pharmaceutical care not only enhances medication adherence and therapeutic outcomes but also improves overall patient satisfaction and quality of life. The next sections of this article will further explore how the implementation of Medication Therapy Management (MTM) programs and collaborative care efforts contribute to the success of this patient-centered model in modern pharmaceutical care services.

4. MEDICATION THERAPY MANAGEMENT (MTM):

Medication Therapy Management (MTM) represents a pivotal advancement within the realm of pharmaceutical care services, reinforcing the patient-centered approach and facilitating optimal medication outcomes¹¹. MTM programs have gained prominence as a structured framework for pharmacists to engage with patients in a systematic and comprehensive manner.

At its core, MTM involves a series of collaborative interactions between pharmacists and patients aimed at optimizing medication therapy¹². These interactions encompass a range of activities, including medication reviews, adherence assessments, therapeutic interventions, and patient education. MTM programs are particularly valuable for individuals with complex medication regimens, chronic conditions, or multiple healthcare providers.

4.1 Key Components of MTM:

1. **Medication Review:** Pharmacists conduct thorough reviews of a patient's medications, considering factors such as drug interactions, duplications, appropriateness of dosages, and potential adverse effects¹³. This comprehensive assessment helps identify opportunities for improvement and optimization.
2. **Adherence Support:** Pharmacists work with patients to address barriers to medication adherence. They provide education about the importance of consistent medication use, offer strategies to manage side effects, and explore tools like pill organizers or mobile applications to enhance adherence¹⁴.
3. **Personalized Education:** Patient empowerment is a central aspect of MTM. Pharmacists ensure that patients understand the purpose of each medication, how to take them correctly, and what to expect in terms of effects and potential challenges¹⁵.
4. **Therapeutic Interventions:** In collaboration with healthcare providers, pharmacists recommend adjustments to medication regimens to align with changing health conditions or treatment goals. They also address any concerns or adverse effects experienced by the patient.
5. **Monitoring and Follow-Up:** MTM programs involve ongoing monitoring of patients' medication experiences and outcomes¹⁶. Pharmacists maintain regular communication with patients to track progress, address emerging issues, and make necessary modifications to the treatment plan.

4.2 Benefits of MTM:

MTM programs offer numerous benefits to both patients and the healthcare system as a whole. Patients experience improved medication adherence, reduced risk of adverse effects, and better understanding of their treatment plans. Healthcare providers benefit from enhanced collaboration and more informed decision-making based on pharmacists' insights¹⁴. The healthcare system gains through potential reductions in hospitalizations, emergency room visits, and overall healthcare costs.

In summary, Medication Therapy Management (MTM) exemplifies the integration of patient-centered care into pharmaceutical practice. By facilitating close collaboration between pharmacists and patients, MTM programs contribute to improved medication outcomes, increased patient satisfaction, and a more holistic approach to healthcare management. The subsequent sections of this article will delve into collaborative care models, technological integration, and the challenges and future directions in the development of pharmaceutical care services.

5. COLLABORATIVE CARE:

Collaborative care represents a pivotal shift in the landscape of pharmaceutical care services, reflecting the recognition of pharmacists as integral members of multidisciplinary healthcare teams¹⁷. This approach acknowledges that patient care is

most effective when healthcare providers from diverse specialties work together to address complex medical needs and ensure holistic treatment outcomes.

In the context of pharmaceutical care, collaborative care involves pharmacists collaborating closely with physicians, nurses, and other healthcare professionals to optimize medication therapy and overall patient well-being. This approach goes beyond the traditional boundaries of pharmacy practice, promoting shared knowledge, effective communication, and coordinated interventions.

5.1 Key Aspects of Collaborative Care:

1. **Interdisciplinary Communication:** Collaborative care emphasizes effective communication among healthcare team members. Pharmacists share their expertise in medication management, drug interactions, and adverse effects, while other providers contribute their insights into the patient's overall health status and treatment goals⁵.
2. **Medication Expertise:** Pharmacists bring specialized knowledge about medications to the collaborative care table¹⁸. They can identify potential drug interactions, offer alternative treatment options, and suggest adjustments to medication regimens based on the patient's unique needs and medical history.
3. **Comprehensive Treatment Planning:** Collaborative care allows for the creation of well-rounded treatment plans that address both medical conditions and medication-related considerations. Healthcare providers work together to develop strategies that optimize therapeutic outcomes while minimizing potential risks¹⁹.
4. **Patient-Centric Focus:** By pooling their expertise, healthcare providers ensure that the patient's needs and preferences remain at the forefront of decision-making. This patient-centric approach leads to more tailored and effective treatment strategies.

5.2 Benefits of Collaborative Care:

Collaborative care models have shown significant benefits for patient outcomes and healthcare efficiency. Patients receive more comprehensive and coordinated care, leading to improved medication adherence and reduced adverse events²⁰. The close collaboration between healthcare providers minimizes gaps in communication, reducing the likelihood of medication errors and unnecessary hospitalizations.

5.3 Setting the Stage for Enhanced Pharmaceutical Care:

Collaborative care not only enhances patient care but also elevates the role of pharmacists within the healthcare system. As valuable contributors to interdisciplinary teams, pharmacists have the opportunity to demonstrate their expertise and contribute meaningfully to patient outcomes²¹. This approach underscores the importance of breaking down silos between different healthcare specialties and embracing a holistic approach to patient management.

As healthcare systems continue to evolve, collaborative care is expected to become increasingly prevalent²². The integration of pharmacists into collaborative care models further solidifies their role as essential members of healthcare teams, working synergistically to provide patients with comprehensive, individualized, and effective care. The subsequent sections of this article will explore the integration of technology into pharmaceutical care services, the challenges faced by the field, and potential future directions.

6. TECHNOLOGICAL INTEGRATION

Technological integration has brought significant advancements to pharmaceutical care services, reshaping how pharmacists interact with patients, manage medications, and collaborate with healthcare providers. Electronic Health Records (EHRs) have streamlined access to patient information, enabling pharmacists to make informed decisions about medication therapy, potential interactions, and allergies²³. Automated medication dispensing systems have minimized errors by accurately labeling and packaging medications. Telepharmacy services have extended professional guidance to remote areas through virtual consultations. Medication management apps empower patients with reminders, dosage tracking, and interaction alerts, enhancing medication adherence²⁴. Pharmacogenomics, made possible by DNA sequencing, enables personalized medication regimens based on genetic profiles.

The benefits of technological integration are manifold. Patient safety is improved through error reduction in medication dispensing²⁵. Communication among healthcare providers is facilitated, leading to more coordinated care. Mobile apps foster patient engagement by promoting active participation in medication management. However, challenges such as data security, interoperability, and technology accessibility in underserved areas need attention. Continuous training is crucial to ensure pharmacists are adept at utilizing technological tools effectively²⁶.

Looking ahead, technological integration will likely continue to shape pharmaceutical care. Future trends may include expanded pharmacist-led clinics, greater use of telepharmacy services, and further incorporation of pharmacogenomics for personalized treatment. The synergy between pharmaceutical care and technology holds the potential to enhance patient outcomes, streamline workflows, and strengthen collaboration across the healthcare landscape.

7. CHALLENGES AND FUTURE DIRECTIONS:

As pharmaceutical care services evolve, they encounter both challenges and promising future directions that shape their development and integration into healthcare systems¹⁵.

Challenges:

1. **Scope of Practice and Regulations:** Pharmacists often face limitations in their scope of practice, varying by jurisdiction. Overcoming regulatory barriers to enable pharmacists to provide a wider range of clinical services remains a challenge.
2. **Reimbursement Models:** The lack of consistent reimbursement for pharmaceutical care services can deter their widespread adoption²⁷. Establishing reimbursement models that recognize the value of pharmacists' contributions is essential.
3. **Interprofessional Collaboration:** Collaborative care efforts require effective communication and collaboration among diverse healthcare professionals. Bridging gaps in communication and fostering mutual understanding can be challenging.
4. **Data Security and Privacy:** With the increasing use of electronic health records and telepharmacy services, ensuring patient data security and privacy is paramount. Safeguarding sensitive patient information against breaches remains a concern.
5. **Technology Access and Literacy:** While technology integration offers benefits, not all patients have equal access or familiarity with digital tools²⁸. Addressing disparities in technology access and literacy is crucial to ensure equitable care.

Future Directions:

1. **Expanded Pharmacist Roles:** The future holds potential for pharmacists to assume broader roles as healthcare providers, offering services such as point-of-care testing, chronic disease management, and immunizations.
2. **Pharmacogenomics Integration:** Incorporating pharmacogenomic data into treatment plans can lead to personalized medicine, optimizing medication selection and dosages based on individual genetic profiles²⁹.
3. **Telepharmacy and Remote Care:** Telepharmacy services are likely to expand, enabling pharmacists to reach patients in remote or underserved areas. Remote monitoring and virtual consultations may become integral components of pharmaceutical care.
4. **Patient-Centered Technology:** Continued development of user-friendly medication management apps and wearable devices will empower patients to actively participate in their treatment plans, enhancing adherence and outcomes.
5. **Value-Based Care Models:** As healthcare shifts toward value-based care, pharmaceutical care services' impact on patient outcomes and healthcare costs could lead to greater recognition and integration³⁰.

In conclusion, while challenges persist, the future of pharmaceutical care services is promising. By overcoming barriers, leveraging technology, and advocating for expanded roles, pharmacists can contribute significantly to improving patient care, fostering interprofessional collaboration, and shaping the evolving landscape of healthcare delivery.

8. CONCLUSION

The evolution and advancements in pharmaceutical care services have redefined the role of pharmacists in healthcare, shifting from transactional medication dispensing to patient-centered, collaborative care. This transformation underscores the dynamic nature of healthcare, as well as the commitment to improving patient outcomes through comprehensive and personalized approaches.

Pharmaceutical care services have evolved from their historical origins, recognizing that pharmacists are vital members of interdisciplinary teams. The patient-centered approach places patients at the heart of their care, facilitating medication therapy management (MTM) programs that empower patients with knowledge and ensure optimized treatment plans. Collaborative care has emerged as a powerful concept, uniting pharmacists with other healthcare providers to create holistic treatment strategies.

Technology integration has amplified the impact of pharmaceutical care services. Electronic health records, automated dispensing systems, and telepharmacy services have streamlined processes and extended care to remote areas. The promise of pharmacogenomics and patient-centered apps further amplifies the potential for tailored treatments and increased patient engagement.

Yet, challenges persist. Regulatory hurdles, reimbursement models, and privacy concerns remain obstacles to full integration. The journey ahead involves advocating for expanded roles, bridging gaps in technology access, and navigating the complexities of collaborative care.

In the future, pharmaceutical care services are poised for greater recognition and impact. As pharmacists assume more extensive roles, embrace emerging technologies, and contribute to value-based care models, the landscape of healthcare delivery stands to benefit. The synergy between pharmaceutical care and the broader healthcare ecosystem is a testament to the profession's dedication to improving patient well-being and shaping the future of healthcare.

REFERENCES:

- [1]. Urick BY, Meggs EV. Towards a Greater Professional Standing: Evolution of Pharmacy Practice and Education, 1920-2020. *Pharmacy* (Basel). 2019 Jul 20;7(3):98. doi: 10.3390/pharmacy7030098. PMID: 31330761; PMCID: PMC6789879.
- [2]. Al-Quteimat OM, Amer AM. Evidence-based pharmaceutical care: The next chapter in pharmacy practice. *Saudi Pharm J*. 2016 Jul;24(4):447-51. doi: 10.1016/j.jsps.2014.07.010. Epub 2014 Aug 4. PMID: 27330375; PMCID: PMC4908053.
- [3]. Eldooma I, Maatoug M, Yousif M. Outcomes of Pharmacist-Led Pharmaceutical Care Interventions Within Community Pharmacies: Narrative Review. *Integr Pharm Res Pract*. 2023 May 15;12:113-126. doi: 10.2147/IPRP.S408340. PMID: 37216033; PMCID: PMC10198268.
- [4]. Sallom H, Abdi A, Halboup AM, Başgut B. Evaluation of pharmaceutical care services in the Middle East Countries: a review of studies of 2013-2020. *BMC Public Health*. 2023 Jul 17;23(1):1364. doi: 10.1186/s12889-023-16199-1. PMID: 37461105; PMCID: PMC10351150.
- [5]. Dalton K, Byrne S. Role of the pharmacist in reducing healthcare costs: current insights. *Integr Pharm Res Pract*. 2017 Jan 25;6:37-46. doi: 10.2147/IPRP.S108047. PMID: 29354549; PMCID: PMC5774321.
- [6]. Kari H, Kortejärvi H, Airaksinen M, Laaksonen R. Patient involvement is essential in identifying drug-related problems. *Br J Clin Pharmacol*. 2018 Sep;84(9):2048-2058. doi: 10.1111/bcp.13640. Epub 2018 Jun 21. PMID: 29774588; PMCID: PMC6089828.
- [7]. Fix GM, VanDeusen Lukas C, Bolton RE, Hill JN, Mueller N, LaVela SL, Bokhour BG. Patient-centred care is a way of doing things: How healthcare employees conceptualize patient-centred care. *Health Expect*. 2018 Feb;21(1):300-307. doi: 10.1111/hex.12615. Epub 2017 Aug 25. PMID: 28841264; PMCID: PMC5750758.
- [8]. Mohiuddin AK. The New Era of Pharmacists in Ambulatory Patient Care. *Innov Pharm*. 2019 Aug 31;10(1):10.24926/iip.v10i1.1622. doi: 10.24926/iip.v10i1.1622. Retraction in: *Innov Pharm*. 2020 Feb 25;11(1): PMID: 34007527; PMCID: PMC7643699.
- [9]. McDonough RP, Bennett MS. Improving communication skills of pharmacy students through effective precepting. *Am J Pharm Educ*. 2006 Jun 15;70(3):58. doi: 10.5688/aj700358. PMID: 17136179; PMCID: PMC1636963.
- [10]. Francis J, Abraham S. Clinical pharmacists: Bridging the gap between patients and physicians. *Saudi Pharm J*. 2014 Dec;22(6):600-2. doi: 10.1016/j.jsps.2014.02.011. Epub 2014 Mar 12. PMID: 25561874; PMCID: PMC4281611.
- [11]. Viswanathan M, Kahwati LC, Golin CE, et al. Medication Therapy Management Interventions in Outpatient Settings [Internet]. Rockville (MD): Agency for Healthcare Research and Quality (US); 2014 Nov. (Comparative Effectiveness Reviews, No. 138.) Introduction. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK294478/>
- [12]. Alshehri AM, Alenazi OS, Almutairi SA, Alali AZ, Almogbel YS, Alonazi RE, Alkhelaifi HA, Alshehri WM, Alsehli FA. Pharmacist Intention to Provide Medication Therapy Management Services in Saudi Arabia: A Study Using the Theory of Planned Behaviour. *Int J Environ Res Public Health*. 2022 Apr 26;19(9):5279. doi: 10.3390/ijerph19095279. PMID: 35564673; PMCID: PMC9101803.
- [13]. Barnsteiner JH. Medication Reconciliation. In: Hughes RG, editor. *Patient Safety and Quality: An Evidence-Based Handbook for Nurses*. Rockville (MD): Agency for Healthcare Research and Quality (US); 2008 Apr. Chapter 38. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK2648/>
- [14]. Nieuwlaat R, Wilczynski N, Navarro T, Hobson N, Jeffery R, Keenanasseril A, Agoritsas T, Mistry N, Iorio A, Jack S, Sivaramalingam B, Iserman E, Mustafa RA, Jedraszewski D, Cotoi C, Haynes RB. Interventions for enhancing medication adherence. *Cochrane Database Syst Rev*. 2014 Nov 20;2014(11):CD000011. doi: 10.1002/14651858.CD000011.pub4. PMID: 25412402; PMCID: PMC7263418.
- [15]. Mohiuddin AK. The Excellence of Pharmacy Practice. *Innov Pharm*. 2020 Jan 28;11(1):10.24926/iip.v11i1.1662. doi: 10.24926/iip.v11i1.1662. Retraction in: *Innov Pharm*. 2020 Jan 28;11(1): PMID: 34017646; PMCID: PMC8132542.
- [16]. Masica AL, Touchette DR, Dolor RJ, et al. Evaluation of a Medication Therapy Management Program in Medicare Beneficiaries at High Risk of Adverse Drug Events: Study Methods. In: Henriksen K, Battles JB, Keyes MA, et al., editors. *Advances in Patient Safety: New Directions and Alternative Approaches (Vol. 4: Technology and Medication Safety)*. Rockville (MD): Agency for Healthcare Research and Quality (US); 2008 Aug. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK43763/>
- [17]. Crafford L, Kusurkar RA, Bronkhorst E, Gous A, Wouters A. Understanding of healthcare professionals towards the roles and competencies of clinical pharmacists in South Africa. *BMC Health Serv Res*. 2023 Mar 28;23(1):290. doi: 10.1186/s12913-023-09222-z. PMID: 36978062; PMCID: PMC10044779.
- [18]. Kelly DV, Bishop L, Young S, Hawboldt J, Phillips L, Keough TM. Pharmacist and physician views on collaborative practice: Findings from the community pharmaceutical care project. *Can Pharm J (Ott)*. 2013 Jul;146(4):218-26. doi: 10.1177/1715163513492642. PMID: 23940479; PMCID: PMC3734911.
- [19]. Rodziewicz TL, Houseman B, Hipskind JE. Medical Error Reduction and Prevention. [Updated 2023 May 2]. In: *StatPearls* [Internet]. Treasure Island (FL): StatPearls Publishing; 2023 Jan-. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK499956/>
- [20]. Brown MT, Bussell JK. Medication adherence: WHO cares? *Mayo Clin Proc*. 2011 Apr;86(4):304-14. doi: 10.4065/mcp.2010.0575. Epub 2011 Mar 9. PMID: 21389250; PMCID: PMC3068890.
- [21]. Sim TF, Hattingh HL, Sunderland B, Czarniak P. Effective communication and collaboration with health professionals: A qualitative study of primary care pharmacists in Western Australia. *PLoS One*. 2020 Jun 11;15(6):e0234580. doi: 10.1371/journal.pone.0234580. PMID: 32525923; PMCID: PMC7289401.

- [22]. Babiker A, El Hussein M, Al Nemri A, Al Frayh A, Al Juryyan N, Faki MO, Assiri A, Al Saadi M, Shaikh F, Al Zamil F. Health care professional development: Working as a team to improve patient care. *Sudan J Paediatr*. 2014;14(2):9-16. PMID: 27493399; PMCID: PMC4949805.
- [23]. Menachemi N, Collum TH. Benefits and drawbacks of electronic health record systems. *Risk Manag Healthc Policy*. 2011;4:47-55. doi: 10.2147/RMHP.S12985. Epub 2011 May 11. PMID: 22312227; PMCID: PMC3270933.
- [24]. Christina Tarantola, PharmD, The Top Medication Reminder Apps for Patients. Dec 11, 2017. <https://www.pharmacytimes.com/view/the-top-medication-reminder-apps-for-patients>
- [25]. Bates DW. Using information technology to reduce rates of medication errors in hospitals. *BMJ*. 2000 Mar 18;320(7237):788-91. doi: 10.1136/bmj.320.7237.788. PMID: 10720369; PMCID: PMC1117776.
- [26]. Jaam M, Naserallah LM, Hussain TA, Pawluk SA. Pharmacist-led educational interventions provided to healthcare providers to reduce medication errors: A systematic review and meta-analysis. *PLoS One*. 2021 Jun 23;16(6):e0253588. doi: 10.1371/journal.pone.0253588. PMID: 34161388; PMCID: PMC8221459.
- [27]. Green CJ, Maclure M, Fortin PM, Ramsay CR, Aaserud M, Bardal S. Pharmaceutical policies: effects of restrictions on reimbursement. *Cochrane Database Syst Rev*. 2010 Aug 4;2010(8):CD008654. doi: 10.1002/14651858.CD008654. PMID: 20687098; PMCID: PMC6791298.
- [28]. Papoutsis C, Reed JE, Marston C, Lewis R, Majeed A, Bell D. Patient and public views about the security and privacy of Electronic Health Records (EHRs) in the UK: results from a mixed methods study. *BMC Med Inform Decis Mak*. 2015 Oct 14;15:86. doi: 10.1186/s12911-015-0202-2. PMID: 26466787; PMCID: PMC4607170.
- [29]. Subasri M, Barrett D, Sibalija J, Bitacola L, Kim RB. Pharmacogenomic-based personalized medicine: Multistakeholder perspectives on implementational drivers and barriers in the Canadian healthcare system. *Clin Transl Sci*. 2021 Nov;14(6):2231-2241. doi: 10.1111/cts.13083. Epub 2021 Jul 16. PMID: 34080317; PMCID: PMC8604218.
- [30]. Teisberg E, Wallace S, O'Hara S. Defining and Implementing Value-Based Health Care: A Strategic Framework. *Acad Med*. 2020 May;95(5):682-685. doi: 10.1097/ACM.0000000000003122. PMID: 31833857; PMCID: PMC7185050.