



ROLE OF BODY MASSAGE IN NEONATAL CARE: BENEFITS, MECHANISMS, AND CLINICAL EVIDENCE

Rajeshwari J¹, Dinesh Selvam², Alka Agrawal³

¹PhD Scholar, Amity College of Nursing, Amity University, Gurugram, Haryana

²Professor and Principal, Amity College of Nursing, Amity University, Gurugram, Haryana

³Professor Paediatrics, Dean Santosh Medical College and Hospital , Ghaziabad

Received:- 03/03/26

Revised:-15/04/26

Accepted:-23/04/26

Published:- 30/04/26

Abstract

Body massage is an ancient practice valued across many cultures for its positive effects on infant health and development. In recent years, it has been increasingly recognized in pediatric care for helping babies physically, emotionally, and in forming a close bond with their caregivers. This article explores the benefits of body massage, especially in addressing common issues like colic, irregular sleep, and digestive troubles. These challenges, often due to underdeveloped systems in infants, can cause discomfort and affect growth. Massage has been shown to ease these issues by improving sleep, boosting immunity, supporting muscle development, and reducing stress. This article also explains safe massage techniques, including choosing a calm setting, using natural oils, and applying gentle, rhythmic strokes. As a simple, non-invasive approach, body massage not only improves infant comfort but also strengthens the parent-child bond, making it a valuable addition to neonatal care.

Keywords- Neonatal Care, Infant Massage, Baby Massage Therapy, Infant Development, Premature Infants, Sensory Stimulation

Introduction

Body massage, an ancient practice deeply rooted in various cultures, has gained significant recognition in modern pediatric care because of its multifaceted benefits (1). This therapeutic intervention, which involves gentle rhythmic strokes applied to an infant's body, has been shown to address a wide range of physical, emotional, and developmental challenges faced by infants (2). Body massage offers a holistic approach to infant care by alleviating colic and improving sleep patterns to foster emotional bonding and enhance cognitive development. Its non-invasive nature and accessibility make it an appealing option for caregivers seeking to support their children's well-being. Infants face unique challenges in the early stages of life because of the immaturity of their physiological systems (3). Underdeveloped digestive, nervous, and immune systems often lead to common issues, such as colic, constipation, gas, irritability, and irregular sleep patterns (4). These discomforts can cause significant distress for both infants and their caregivers, potentially hindering their emotional bonding and physical development. Environmental stressors such as noise, light, and temperature changes further exacerbate these challenges, making it difficult for infants to adapt and thrive (5). Addressing these issues is critical, as prolonged discomfort can affect an infant's growth, development, and overall well-being. Body massage has emerged as a simple, yet effective solution to these challenges. By stimulating the vagus nerve, massage enhances vagal tone, which plays a central role in regulating the heart rate, digestion, and stress responses (6). This increased vagal activity promotes relaxation, improves digestion, and reduces stress hormones such as cortisol. Additionally, massage stimulates the release of oxytocin, the "love hormone," which fosters emotional bonding between caregivers and infants (7). The tactile stimulation provided by massage also supports sensory processing and cognitive development, making it particularly beneficial for premature infants and those with developmental delays. Beyond its physiological benefits, baby massage has been shown to improve sleep patterns by regulating melatonin production, a hormone essential for the sleep-wake cycle (8). Enhanced sleep quality supports brain development, growth, and immune functions, all of which are critical during infancy. Clinical evidence supports the efficacy of pediatric massage therapy (MT) in managing various health conditions, including anxiety, tic disorders, acute diarrhoea, and feeding intolerance (9-10). Studies have demonstrated its ability to reduce anxiety, improve emotional regulation, and enhance clinical outcomes in children with ADHD and other psychological disorders (11). Despite its promising benefits, inconsistencies in protocols and a lack of standardised research highlight the need for further investigation to optimize its application in pediatric care. This review explored the mechanisms of action underlying body massage, including its effects on vagal tone, hormonal regulation, stress reduction, and emotional bonding. It also examines the clinical evidence supporting its use in neonatal and pediatric care. It identifies areas for future research to establish standardized protocols and safety guidelines. By integrating traditional practices with modern scientific insights, baby massage offers a holistic, non-invasive approach to promote infant health and development, making it an invaluable tool in neonatal care.

Causes and Effects

The underlying causes of infant discomfort are multifaceted and stem from both biological and environmental factors. These challenges are particularly pronounced in the early stages of life, as infants transition from a protected environment of the womb to the external world.

Immature Digestive Systems

Newborns often experience gas, bloating, and colic because of their still-developing digestive systems (12). The gastrointestinal tract of infants is not fully mature, leading to inefficient digestion and nutrient absorption. This immaturity can result in discomfort such as abdominal pain and constipation, which are common complaints among parents (13). For example, studies have shown that colic affects up to 20% of infants and causes prolonged crying and distress (14). The inability to process food efficiently can also lead to regurgitation and feeding difficulties, further exacerbating infant discomfort.

Immature Nervous System

The nervous systems of infants are also in a critical stage of development, making them highly sensitive to external stimuli (15). As they adjust to life outside their womb, infants are prone to overstimulation and stress. This heightened sensitivity can manifest as irritability, restlessness, and difficulty in calming down. For instance, sudden noise or bright lights can trigger a stress response, leading to excessive crying and sleep disturbances (16). The immature nervous system also contributes to irregular sleep patterns, as infants struggle to establish a consistent sleep-wake cycle.

Irregular Sleep Patterns

Sleep is essential for an infant's growth and development; however, many newborns face challenges in establishing regular sleep patterns. Immaturity of circadian rhythms often results in fragmented sleep, with frequent awakenings throughout the night (17). This irregularity can lead to irritability and restlessness during the day, further compounding infant discomfort. Sleep deprivation not only affects infants but also places additional stress on caregivers, who may struggle to manage their own sleep needs.

Environmental Stressors

Infants are highly sensitive to their surroundings, and environmental factors, such as noise, light, temperature, and touch, can significantly affect their comfort levels (18). For example, a room that is too cold or warm can disrupt an infant's thermoregulation, leading to fussiness and crying. Similarly, overstimulation from loud noises or bright lights can overwhelm an infant's developing sensory system and cause stress and discomfort (19). Even the type of touch an infant receives can influence their well-being, as gentle rhythmic strokes are more soothing than abrupt or inconsistent handling.

Benefits of Body Massage on newborns

1. Enhanced Bonding and Emotional Connection

Skin-to-skin contact during massage creates a profound sense of security and attachment between the caregiver and the baby (20). The release of oxytocin, often referred to as the "love hormone," during massage strengthens the emotional bond, promoting feelings of warmth and trust (21). This connection is especially important for parents of preterm infants or those experiencing postpartum stress, as it helps build confidence in caregiving.

2. Improved Sleep Patterns and Relaxation

Massage has a calming effect on the nervous system, helping infants relax and fall asleep more easily. The rhythmic, soothing strokes regulate melatonin and cortisol levels, which are essential for healthy sleep-wake cycles (22). As a result, babies who receive regular massage often experience longer and more restful sleep, reducing night time awakenings and improving overall sleep quality.

3. Digestive Health and Relief from Colic

Digestive discomfort, such as gas, colic, and constipation, is a common concern for infants. Gentle abdominal massage, particularly in a clockwise motion, stimulates the digestive tract and promotes peristalsis, helping to alleviate these issues. This can lead to reduced fussiness and a more comfortable, content baby (23).

4. Improved Muscle Development and Coordination

Massage supports physical development by enhancing muscle tone, flexibility, and motor skills. Gentle movements and strokes encourage limb mobility and coordination, which are crucial for milestones like rolling over, crawling, and walking. For preterm infants, massage can accelerate muscle development and improve overall physical growth (24).

5. Strengthened Immune System

The gentle pressure and stimulation of massage improve blood circulation, allowing for more efficient distribution of oxygen and nutrients throughout the body. This enhanced circulation supports the immune system, helping infants fight off infections and illnesses more effectively (25).

6. Cognitive and Sensory Stimulation

Massage provides valuable sensory input that supports brain development. The tactile stimulation from massage helps infants become more aware of their bodies and surroundings, which is particularly beneficial for preterm babies or those with developmental delays. This sensory enrichment can enhance cognitive function and promote early learning (26).

7. Reduction in Bilirubin Levels

Abdominal massage has been shown to increase hepatic circulation and promote the excretion of bilirubin, a substance that can accumulate in newborns and cause jaundice. By aiding in the elimination of bilirubin, massage can help reduce hyperbilirubinemia and its associated risks (27).

8. Promotes a Sense of Security

The calming nature of massage helps reduce stress and anxiety in both infants and caregivers. For babies, the

gentle touch and rhythmic motions create a safe and comforting environment, fostering a sense of security. This can lead to reduced crying, improved mood, and a more content disposition (28). Table 1 highlights various baby massage techniques, each with unique practices and benefits.

Table 1: Types of Baby Massage Practices and Their Benefits

Type of Baby Practice	Description	Benefits	Ref.
Indian Massage	Rooted in Ayurvedic practices, uses warm natural oils with long, firm strokes on limbs and gentle circular motions on the chest and tummy.	Promotes circulation, relaxation, and overall well-being.	29-31
Swedish Massage	Focuses on stroking and kneading with light pressure to enhance blood flow and muscle tone.	Calms the nervous system and improves muscle development.	
Tummy Massage	Targets the abdomen with clockwise movements to relieve digestive issues.	Alleviates colic, gas, and constipation.	
Reflexology Massage	Applies gentle pressure on specific points of the baby’s feet, believed to correspond to body parts.	Promotes relaxation and relieves discomfort.	
Korean Baby Massage	Uses gentle acupressure along energy meridians to stimulate specific systems.	Enhances digestion and boosts the immune system.	

**Mechanisms of Action
Increased Vagal Tone**

The vagus nerve, a critical component of the parasympathetic nervous system, plays a central role in regulating heart rate, digestion, and immune response (32). Baby massage stimulates mechanoreceptors in the skin and deeper tissues, enhancing vagal tone (Table 2). This increased vagal activity leads to:

- **Reduced Heart Rate:** Promotes a relaxed physiological state.
- **Improved Digestion:** Alleviates colic, gas, and constipation.
- **Stress Reduction:** Facilitates a balanced and calm state, essential for growth and development.

Enhanced vagal tone also influences hormonal regulation, particularly the secretion of melatonin and oxytocin. Melatonin supports sleep regulation, while oxytocin fosters emotional bonding between caregiver and infant.

Table 2: Guidelines for Effective Baby Massage

Aspect	Details	Ref
1. Seek Professional Guidance	Consult a pediatrician, nurse, or certified baby massage therapist, especially for premature infants or those with health conditions.	33-34
2. Setting the Right Atmosphere	Choose a warm, quiet, and calming environment with soft lighting and soothing sounds to create a relaxing experience.	
3. Choose the Right Timing and Routine	Perform massage when the baby is calm, alert, and content, integrating it into daily routines such as before bedtime or after bathing.	
4. Use of Natural Oils	Opt for natural oils such as coconut or olive oil to reduce friction and avoid synthetic or perfumed oils that may irritate sensitive skin.	
5. Follow Gentle, Rhythmic Strokes	Use soft, rhythmic movements, starting with the arms and legs and gradually moving to the chest, tummy, and back. Observe the baby’s cues to ensure comfort.	
6. Be Observant of the Baby’s Cues	Adjust pressure or stop the massage if the baby shows signs of discomfort.	
7. Practice Consistently	Regular massage can become a comforting ritual, enhancing the baby’s routine and deepening the parent-child bond.	

Hormonal Regulation

An increased vagal tone also influences hormonal regulation. Stimulation of the vagus nerve modulates the secretion of melatonin, a hormone essential for regulating the sleep-wake cycle (35). This is especially significant for infants because stable and consistent sleep patterns are vital for their growth and development. Additionally, the vagus nerve influences other hormones, including oxytocin, which is known to play a role in bonding and emotional connections (36). By boosting melatonin production, baby massage aids infants in achieving better sleep quality, contributing to overall well-being and growth.

Blood Flow Enhancement

One immediate effect of massage on an infant's body is enhancement of blood circulation. Physical manipulation of the skin, muscles, and connective tissues promotes increased blood flow to the massaged area (37). This is particularly beneficial for infants whose cardiovascular systems are still developing. Improved circulation ensures that oxygen and essential nutrients are efficiently delivered to tissues, supporting metabolic processes crucial for growth and healing (38). For preterm infants or those with specific health conditions, this enhanced circulation can be transformative, facilitating the recovery of underdeveloped systems including the immune and respiratory systems.

Mechanotransduction

In addition to improving circulation, the mechanical pressure applied during massage triggers a biological process known as mechanotransduction (39). This process involves the conversion of mechanical forces into biochemical signals within cells. These signals can promote cellular activities that lead to improved tissue health, such as increased collagen production or enhanced immune responses (40). Mechanotransduction plays a vital role in the healing and strengthening of tissues, contributing to the overall development of an infant's body and aiding the maturation of muscles, skin, and other connective tissues.

Stress Hormone Reduction (Cortisol)

Massage therapy has been shown to significantly reduce cortisol levels, which is the primary stress hormone in the body. Cortisol is released in response to stress and can have detrimental effects on the body when present at elevated levels over long periods of time (41). In infants, high cortisol levels are associated with sleep disturbance, irritability, and slower physical and cognitive development. By reducing cortisol levels, baby massage helps alleviate the negative effects of stress, promoting a more relaxed and stable emotional state. This reduction in cortisol levels is linked to improvements in behavior, emotional regulation, and overall well-being (42).

Melatonin and Sleep Regulation

One of the most significant benefits of increased vagal activity through massage is stimulation of melatonin production. Melatonin is essential for regulating the sleep-wake cycle and its levels typically increase in the evening to prepare the body for sleep (43). Regular massage by boosting melatonin levels helps establish healthy sleep patterns in infants. Since sleep is critical for brain development, growth, and immune function in early childhood, enhancing melatonin production through massage supports not only better sleep, but also better cognitive and physical development (44).

Pain Reduction

Infants, especially preterm or medically fragile infants, often experience discomfort or pain related to growth, medical conditions, or procedures. Massage therapy provides relief by stimulating pressure receptors in the skin and deeper tissues, which can activate the parasympathetic nervous system and reduce pain perception (45). Through stimulation of these receptors, massage promotes the release of endorphins, which are natural pain-relieving hormones. These endorphins help to alleviate discomfort and promote a sense of relaxation and calmness in infants.

Emotional and Behavioral Health

Beyond its physical benefits, baby massage profoundly affects an infant's emotional and psychological well-being. Tactile stimulation involved in massage is crucial for the development of sensory processing and emotional regulation in infants (46). Close physical contact with a caregiver during massage fosters bonding and attachment, which is foundational for developing secure emotional relationships later in life. Research has shown that infants who receive regular massage therapy exhibit reduced signs of anxiety, depression, and aggression, suggesting that massage supports positive emotional and psychological health (47).

Safety and Efficacy of Pediatric Massage: Clinical Evidence and Guidelines

Pediatric massage therapy (MT) has garnered attention in numerous clinical studies, highlighting its potential benefits and overall safety for children, including those with specific health challenges. Pediatric massage therapy is generally recognized as safe when performed by trained professionals (48). Clinical trials have reported no significant adverse reactions in children receiving massage therapy for various health conditions, including tic disorders and cough variant asthma (49). The non-invasive and gentle nature of pediatric massage makes it a low-risk intervention suitable for children across a broad range of ages and health conditions.

For children with autism spectrum disorder (ASD), massage therapy has shown some benefits, including improved relaxation and reduced stress levels (50). However, studies on massage for ASD have shown significant risk of bias and used inconsistent protocols, highlighting the need for more thorough and standardized research before any firm conclusions can be made (51). Such inconsistencies underscore the importance of well-controlled studies to ensure both the safety and effectiveness of massage therapy for children with ASD.

Anxiety and Psychological Benefits

Pediatric massage therapy has demonstrated strong evidence for reducing anxiety in children with various health conditions. Research supports its role in enhancing emotional regulation, alleviating stress, and fostering a sense of calm. In particular, children with anxiety disorders, ADHD, and other psychological challenges have reported significant benefits from regular massage therapy sessions (52). Studies indicate that pediatric massage therapy can effectively reduce symptoms of ADHD, including anxious, passive, and asocial behaviors, offering a non-pharmacological alternative to traditional treatments.

Tic Disorders

Massage therapy has been shown to significantly improve clinical effectiveness rates and reduce symptom severity in children with tic disorders. The physical manipulation of muscles and tissues through massage appears to have a calming effect on the nervous system, helping to alleviate involuntary movements and tics. This calming effect can be particularly beneficial for children experiencing heightened anxiety or stress related to their condition (53).

Acute Diarrhea

Pediatric massage therapy has been found to be more effective than pharmacotherapy in treating acute diarrhea. Studies suggest that massage not only enhances clinical effectiveness rates but also shortens the duration of symptoms. This therapeutic effect makes massage an appealing alternative treatment for gastrointestinal issues in children, potentially reducing the need for medications that may have side effects (54).

Feeding Intolerance

Traditional Chinese techniques, such as pediatric Tuina, are currently under review for their efficacy in treating feeding intolerance in premature infants (55). Preliminary evidence indicates positive outcomes, suggesting that massage may help improve feeding tolerance, thereby supporting the growth and development of preterm infants. This is crucial, as feeding intolerance can significantly hinder the health and development of these vulnerable populations.

Anorexia

Massage therapy has also demonstrated efficacy in treating anorexia in children, showing better results than pharmacotherapy. The soothing and relaxing effects of massage can help reduce the anxiety and stress that often accompany eating disorders, contributing to improved appetite and nutritional intake. By addressing both the psychological and physical aspects of these disorders, massage therapy presents a holistic approach to treatment (56).

Conclusion

Body massage is a valuable practice in neonatal care, offering physical, emotional, and developmental benefits that support an infant's overall well-being. From improved digestion and reduced colic to enhanced emotional bonding and relaxation, the positive effects of massage can help alleviate many common challenges faced by infants and their caregivers. Regular, safe, and gentle massage can be a rewarding experience that not only enhances a baby's health but also strengthens the parent-child connection. As parents embrace the art

of baby massage, they empower themselves to provide comfort and nurture their child's growth and happiness in these early, formative months. For parents seeking holistic and proactive approaches to infant care, baby massage is a timeless and beneficial practice that will continue to have lasting impacts on both baby and caregiver. Hence its vital to inculcate this practice on all newborns irrespective of preterm or full term babies for their outstanding and everlasting health benefits.

Reference

1. Field T, Grizzle N, Scafidi F, Abrams S, Richardson S, Kuhn C, Schanberg S. Massage therapy for infants of depressed mothers. *Infant behavior and development*. 1996 Jan 1;19(1):107-12.
2. Field T, Diego M, Hernandez-Reif M. Massage therapy research. *Developmental Review*. 2007 Mar 1;27(1):75-89.
3. Sharma AA, Jen R, Butler A, Lavoie PM. The developing human preterm neonatal immune system: a case for more research in this area. *Clinical immunology*. 2012 Oct 1;145(1):61-8.
4. Lenfestey MW, Neu J. Gastrointestinal development: implications for management of preterm and term infants. *Gastroenterology Clinics*. 2018 Dec 1;47(4):773-91.
5. Wass SV, Smith CG, Daubney KR, Suata ZM, Clackson K, Begum A, Mirza FU. Influences of environmental stressors on autonomic function in 12-month-old infants: Understanding early common pathways to atypical emotion regulation and cognitive performance. *Journal of Child Psychology and Psychiatry*. 2019 Dec;60(12):1323-33.
6. Dolphin, H., Dukelow, T., Finucane, C., Commins, S., Mcelwaine, P., & Kennelly, S. (2022). "The Wandering Nerve Linking Heart and Mind" – The Complementary Role of Transcutaneous Vagus Nerve Stimulation in Modulating Neuro-Cardiovascular and Cognitive Performance. *Frontiers in Neuroscience*, 16. <https://doi.org/10.3389/fnins.2022.897303>.
7. Moussa S, Fawaz L, Ibrahim W, Fathelbab Elsayed M, Mostafa Ahmed M. Effect of infant massage on salivary oxytocin level of mothers and infants with normal and disordered bonding. *Journal of Primary Care & Community Health*. 2021 Apr;12:21501327211012942.
8. Pebrianthy L, Aswan Y, Batubara NS, Nasution A, Siregar S, Harahap YW. The Effect Of Baby Massage Toward Baby Sleep Pattern: A Quasy Experiment Study. *KnE Social Sciences*. 2023 Mar 3:798-805.
9. Rodgers-Melnick SN, Bartolovich M, Desai NJ, Vasanna SH, Rivard RL, Owusu-Ansah A, Ahuja SP, Dusek JA, Miller DW. Massage therapy for children, adolescents, and young adults: clinical delivery and effectiveness in hematology and oncology. *Pediatric Blood & Cancer*. 2023 Apr;70(4):e30243.
10. Jalalodini A, Nourian M, Saatchi K, Kavousi A, Ghaljeh M. The effectiveness of slow-stroke back massage on hospitalization anxiety and physiological parameters in school-age children: a randomized clinical trial study. *Iranian Red Crescent Medical Journal*. 2016 Nov;18(11).
11. Bryant BR, Sisk MR, McGuire JF. Efficacy of Gamified Digital Mental Health Interventions for Pediatric Mental Health Conditions: A Systematic Review and Meta-Analysis. *JAMA pediatrics*. 2024 Nov 1.
12. Ouald Chaib A, Levy EI, Ouald Chaib M, Vandenplas Y. The influence of the gastrointestinal microbiome on infant colic. *Expert Review of Gastroenterology & Hepatology*. 2020 Oct 2;14(10):919-32.
13. Moir, C. (1996). Abdominal Pain in Infants and Children. *Mayo Clinic Proceedings*, 71, 984-989. [https://doi.org/10.1016/S0025-6196\(11\)63773-7](https://doi.org/10.1016/S0025-6196(11)63773-7).
14. Banks JB, Rouster AS, Chee J. Infantile Colic [Internet]. Treasure Island (FL): StatPearls Publishing; 2025 Jan-. Updated 2023 Oct 29. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK518962/>
15. Lloyd-Fox S, Begus K, Halliday D, Pirazzoli L, Blasi A, Papademetriou M, Darboe MK, Prentice AM, Johnson MH, Moore SE, Elwell CE. Cortical specialisation to social stimuli from the first days to the second year of life: A rural Gambian cohort. *Developmental cognitive neuroscience*. 2017 Jun 1;25:92-104.
16. Brindle K, Moulding R, Bakker K, Nedeljkovic M. Is the relationship between sensory-processing sensitivity and negative affect mediated by emotional regulation?. *Australian Journal of Psychology*. 2015 Dec 1;67(4):214-21.
17. Mirmiran M, Maas YG, Ariagno RL. Development of fetal and neonatal sleep and circadian rhythms. *Sleep medicine reviews*. 2003 Aug 1;7(4):321-34.
18. Santos J, Pearce SE, Stroustrup A. Impact of hospital-based environmental exposures on neurodevelopmental outcomes of preterm infants. *Current opinion in pediatrics*. 2015 Apr 1;27(2):254-60.
19. Marchal, A., Melchior, M., Dufour, A., Poisbeau, P., Zores, C., & Kuhn, P. (2021). Pain Behavioural Response to Acoustic and Light Environmental Changes in Very Preterm Infants. *Children*, 8. <https://doi.org/10.3390/children8121081>.
20. Shoghi, M., Sohrabi, S., & Rasouli, M. (2018). The Effects of Massage by Mothers on Mother-Infant Attachment.. *Alternative therapies in health and medicine*, 24 3, 34-39 .
21. Field T. Massage therapy research review. *Complement Ther Clin Pract*. 2014;20(4):224-229.

22. Manurung R. The Effect of Infant Massage on The Quality of Sleep of Infants Aged 0–12 Months. *Jurnal Aisyah: Jurnal Ilmu Kesehatan*. 2020 Dec 9;5(2):221-5.
23. Moghadam A, Nematollahi M, OstadEbrahimi H, Mehdipour-Rabori R. The effect of abdominal massage (I Love You method) on the gastric function of preterm infants hospitalized in the neonatal intensive care units: a randomized clinical trial. *Journal of Complementary and Integrative Medicine*. 2022 Mar 25;19(1):139-43.
24. Rakhmawati W, Mediani HS, Dhamayanti M, Maryati I, Setiawan AS, Hendrawati S, Maryam NN, Hasanah A, Mulyana AM, Mariani D, Rochimat I. Potential of Massage Therapy for Improved Growth and Development Among Infants Under 9 Months: A Systematic Scoping Review of Intervention Type, Technique, and Outcome. *Journal of Multidisciplinary Healthcare*. 2024 Dec 31:3931-43.
25. Zhang Y, Duan C, Cheng L, Li H. Effects of massage therapy on preterm infants and their mothers: a systematic review and meta-analysis of randomized controlled trials. *Frontiers in Pediatrics*. 2023 Aug 31;11:1198730.
26. Guzzetta A, D'ACUNTO MG, Carotenuto M, Berardi N, Bancale A, Biagioni E, Boldrini A, Ghirri P, Maffei L, Cioni G. The effects of preterm infant massage on brain electrical activity. *Developmental Medicine & Child Neurology*. 2011 Sep;53:46-51.
27. Köse S, Gözen D, Aytemiz ÖE, Çağlayan S. The Effect of Abdominal Massage on Bilirubin Levels in Term Infants Receiving Phototherapy: A Randomized Controlled Trial. *Advances in Neonatal Care*. 2024 Jun 1;24(3):E40-6.
28. Karimi F, Abolhassani M, Ghasempour Z, Gholami A, Rabiee N. Comparing the effect of kangaroo mother care and massage on preterm infant pain score, stress, anxiety, depression, and stress coping strategies of their mothers. *International journal of pediatrics*. 2021 Oct 1;9(10):14508-19.
29. Chaturvedi S, Randive B, Pathak A, Agarkhedkar S, Tillu G, Darmstadt GL, Patwardhan B. Prevalence and perceptions of infant massage in India: study from Maharashtra and Madhya Pradesh states. *BMC pediatrics*. 2020 Dec;20:1-8.
30. Barreto DM, Batista MVA. Swedish Massage: A Systematic Review of its Physical and Psychological Benefits. *Adv Mind Body Med*. 2017;31(2):16-20.
31. Karatas N, Dalgic AI. Effects of reflexology on child health: A systematic review. *Complementary therapies in medicine*. 2020 May 1;50:102364.
32. Browning KN, Verheijden S, Boeckxstaens GE. The vagus nerve in appetite regulation, mood, and intestinal inflammation. *Gastroenterology*. 2017 Mar 1;152(4):730-44.
33. McCarty DB, Dusing SC, Gilbert A, LeBlond KD, Soucie M, O'Shea TM. Parent and therapist perceptions of the feasibility, acceptability, and benefits of a weekly therapist-led massage program for extremely preterm infants in neonatal intensive care. *Children*. 2023 Aug 25;10(9):1453.
34. Mohini, K., Jaipal, M., Bisht, S., & Tyagi, A. (2021). A randomised comparative study of coconut oil massage for effect on weight change in low birth weight neonates. *International Journal of Contemporary Pediatrics*. <https://doi.org/10.18203/2349-3291.ijcp20213321>.
35. Budiarti D, Suryawan A. Massage stimulation's effect on melatonin levels in preterm infants via vagal activity. *Bali Medical Journal*. 2023 Jan 16;12(1):267-73.
36. Neumann ID, Landgraf R. Balance of brain oxytocin and vasopressin: implications for anxiety, depression, and social behaviors. *Trends in neurosciences*. 2012 Nov 1;35(11):649-59.
37. Sefton JM, Yazar C, Berry JW, Pascoe DD. Therapeutic massage of the neck and shoulders produces changes in peripheral blood flow when assessed with dynamic infrared thermography. *The Journal of Alternative and Complementary Medicine*. 2010 Jul 1;16(7):723-32.
38. Jacob M, Chappell D, Becker BF. Regulation of blood flow and volume exchange across the microcirculation. *Critical care*. 2016 Dec;20:1-3.
39. Waters-Banker C, Dupont-Versteegden EE, Kitzman PH, Butterfield TA. Investigating the mechanisms of massage efficacy: the role of mechanical immunomodulation. *Journal of athletic training*. 2014 Mar 1;49(2):266-73.
40. Saika S, Veldhuis N, Križaj D, Rahaman SO. New Insights into Mechanotransduction by immune cells in physiological and pathological conditions. *Frontiers in immunology*. 2022 May 20;13:930362.
41. Knezevic E, Nenic K, Milanovic V, Knezevic NN. The role of cortisol in chronic stress, neurodegenerative diseases, and psychological disorders. *Cells*. 2023 Nov 29;12(23):2726.
42. McCarty D, Silver R, Quinn L, Dusing S, O'Shea TM. Infant massage as a stress management technique for parents of hospitalized extremely preterm infants. *Infant mental health journal*. 2024 Jan;45(1):11-21.
43. Zisapel N. New perspectives on the role of melatonin in human sleep, circadian rhythms and their regulation. *British journal of pharmacology*. 2018 Aug;175(16):3190-9.

44. Gitto E, Aversa S, Reiter RJ, Barberi I, Pellegrino S. Update on the use of melatonin in pediatrics. *Journal of pineal research*. 2011 Jan;50(1):21-8.
45. Crawford C, Boyd C, Paat CF, Et. al., The impact of massage therapy on function in pain populations—A systematic review and meta-analysis of randomized controlled trials: Part I, patients experiencing pain in the general population. *Pain Medicine*. 2016 Jul 1;17(7):1353-75.
46. Underdown A, Barlow J, Stewart-Brown S. Tactile stimulation in physically healthy infants: results of a systematic review. *Journal of Reproductive and Infant Psychology*. 2010 Feb 1;28(1):11-29.
47. Hernandez-Reif M, Diego M, Field T. Preterm infants show reduced stress behaviors and activity after 5 days of massage therapy. *Infant Behavior and Development*. 2007 Dec 1;30(4):557-61.
48. Beider S, Mahrer NE, Gold JI. Pediatric massage therapy: an overview for clinicians. *Pediatric Clinics of North America*. 2007 Dec 1;54(6):1025-41.
49. Goli H, Shabestari MS. 52: Effectiveness of massage therapy in improving symptom in children with allergic asthma: A Randomized Clinical Trial. *BMJ Open*. 2017 Feb 1;7(Suppl 1):bmjopen-2016.
50. Lee, M., Kim, J., & Ernst, E. (2011). Massage therapy for children with autism spectrum disorders: a systematic review.. *The Journal of clinical psychiatry*, 72 3, 406-11 . <https://doi.org/10.4088/JCP.09r05848whi>.
51. Ruan H, Eungpinichpong W, Wu H, Shen M, Zhang A. Medicine insufficient evidence for the efficacy of massage as intervention for autism spectrum disorder: A systematic review. *Evidence-Based Complementary and Alternative Medicine*. 2022;2022(1):5328320.
52. Piravej K, Tangtrongchitr P, Chandarasiri P, Paothong L, Sukprasong S. Effects of Thai traditional massage on autistic children's behavior. *The Journal of Alternative and Complementary Medicine*. 2009 Dec 1;15(12):1355-61.
53. Huang M, Xu L, Wang C, Huang X, Zhang Y, Xian T, Huang D, Jiao F. Effective Treatment Approaches for Tic Disorder: A Clinical Analysis of 60 Cases. *Asian Journal of Pediatric Research*. 2024 Apr 8;14(5):23-8.
54. Zhang X, Wang W. Observation on the clinical effect of pediatric massage combined with moxibustion in the treatment of children with diarrhea. *MEDS Chinese Medicine*. 2023 Aug 22;5(8):63-70.
55. Li SS, Lin XY, Li X, Zhang YD, Wang LQ, Lai SX. Chinese pediatric Tuina can prevent premature infant feeding intolerance and is conducive to weight gain: a prospective randomized controlled study. *African Health Sciences*. 2023 Jul 13;23(2):703-8.
56. Gao L, Jia CH, Ma SS, Wu T. Pediatric massage for the treatment of anorexia in children: a meta-analysis. *World Journal of Traditional Chinese Medicine*. 2018 Jul 1;4(3):96-104.